



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/662,759	09/15/2003	Uwe Bacher	02581-P0544A	1909
24126	7590	08/23/2006	EXAMINER	
ST. ONGE STEWARD JOHNSTON & REENS, LLC 986 BEDFORD STREET STAMFORD, CT 06905-5619			SAM, CHARLES H	
			ART UNIT	PAPER NUMBER
			3731	

DATE MAILED: 08/23/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/662,759

Applicant(s)

BACHER, UWE

Examiner

Charles H. Sam

Art Unit

3731

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 June 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>9/15/03</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over LeMarie,III et al. 5366477 in view of Strait 2334449. LeMarie discloses a medical instrument with a shaft 18, a handle 14 mounted on the proximal end of the shaft 18, and a tool (50,52) mounted on the distal end of the shaft 18 and activated by the handle 14, wherein the handle 14 and the tool (50,52) are in active connection by means of at least one activation rod (20) and the tool (50,52) can be secured detachably by means of a tool shaft on the activation rod (20), for which purpose the tool shaft (242) and the activation rod (248) have protuberances (246) which can be joined in a form-locking connection with corresponding recesses (244), wherein the recesses (244) and protuberances (246) corresponding to one another are configured in such a way that the tool (50,52) and the activation rod (20) can be brought into engagement with one another by means of a movement exclusively in one direction essentially perpendicular to the longitudinal axis of the activation rod (20). Note figures 1-3, 11a, 1b and 12. LeMarie discloses the invention as claimed except the claimed coupling between the activation rod and the tool. However, Strait discloses such coupling between male member 10 and female member 11. It would have been obvious to one having an

Art Unit: 3731

ordinary skill in the art at the time the invention was made to modify LeMarie by using the coupling as taught by Strait to provide an easy and quick connection and disconnection between the two members of the coupling.

Regarding claim 2, LeMarie teaches the tool (50,52) secured to the activation rod (20) in such a way that forces can be transmitted in the longitudinal direction of the activation rod (20) and/or torsion forces can be transmitted to the tool (50,52).

Regarding claim 3, LeMarie teaches the tool (50,52) and the activation rod (20) connected with one another by means of a motion essentially perpendicular to the longitudinal axis of the activation rod (20).

Regarding claim 4, LeMarie teaches the activation rod (20,204,274,304) and the tool shaft (242) configured as essentially round in cross-section.

Regarding claims 5-7, LeMarie teaches the recited connection means of the claim with the stud (212,214) and hole 216. Note figure 11a-11b.

Regarding claims 8-9, LeMarie teaches the recited spring 332.

Response to the Applicant Remarks

2. Applicant's arguments filed on 6/5/06 have been fully considered but they are not persuasive. The arguments regarding the detachable connection as in the amended claim 1 are not convincing because the claimed connection is clearly disclosed by the Strait reference.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles H. Sam whose telephone number is (571) 272-4703. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan T. Nguyen can be reached on (571) 272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Art Unit: 3731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CS

CS

August 9, 2006


ANH TUAN T. NGUYEN
SUPERVISORY PATENT EXAMINER
8/9/06